



REPUBLIC OF NAMIBIA

MINISTRY OF INFORMATION AND COMMUNICATION TECHNOLOGY

REQUEST FOR SEALED QUOTATIONS

The Ministry of Information and Communication Technology hereby invites service providers to submit sealed quotations:

PROVISION OF SERVICES FOR HEROES DAY COMMEMORATION 2025 IN KATIMA MULILO, ZAMBEZI REGION

No.	Item	Specifications	Qty
PA SYSTEM			
1.	PA System	Sound system: • 12 x Passive line array speakers (SPL Max 142dB or equivalent) • 1x Digital Mixing Console 32 input 16 output channels • 2x Podium Microphones (Gooseneck orientation) • 6x Wireless Handheld Microphones (for performances) • Cables and Accessories (as per component) • 30M of Cable protectors • Snake/stage box 50M (minimum 16 inputs and 8 outputs) • 50M Cat 6 network cable Surround Sound fills: • 2x Ambience Microphones • 8x Passive line array speakers • 2x Wireless Headset Microphone with passive antennas (for parade commander) • Power Cables, Signal Cables and Accessories (as per component) • 5 x 100M XLR Cables Power Requirements: • Stage Power Supply: Minimum 32A 3-phase distribution • Power supply (Multiplugs, cattle cable, extensions etc.)	Various

2.	Backline	Backline equipment: • Bass Amplifier (minimum 120W) • Guitar Amplifier (minimum 100W) • 5 Piece Drum set • Drum microphone kit for 5-piece drum set • Microphone stands (as per component) • 2x Active DI Boxes • 2x Keyboard Stands (double Tier) • 2x Guitar Stands • Cables & Accessories (as per component) • 6x Active loudspeakers monitors wedges (1200w peak power or equivalent) Backline Layout (on stage): • Performer Equipment Placement • Drummer Centre back (on riser) • 2 x Guitarists Front left and right • Keyboardist Rear side or front side (stage left) • Bassist Near drummer • Lead Singer Front centre • 3x Backing Vocals • Front left/right flanks beside the lead Power Requirements: • Stage Power Supply: Minimum 32A 3-phase distribution • Power supply (Multiplugs, cattle cable, extensions etc.)	Various
3.	Audio monitoring	• Total Monitors: 5 floor wedges (active or passive with amps) • 1 for Lead Singer • 1 shared for Backing Vocalists • 1 for Guitarists • 1 for Keyboardist • 1 for Drummer (or in-ear alternative) Power Requirements: • Stage Power Supply: Minimum 32A 3-phase distribution • Power supply (Multiplugs, cattle cable, extensions etc.)	Various

4.	Staging & Tussing	Stage Platform: • Height: 2 meters • Width: 8–10 meters (26–33 feet) • Depth: 4–6 meters (13–20 feet) • Stage Surface: Anti-slip plywood on aluminium frame (load-bearing minimum 750 kg/sqm) • Access: 2 x side stairs with handrails • Skirting: Black fabric or PVC for clean appearance Trussing & Roofing System: • Structure: Aluminum box truss system (ground-supported or tower lift) • Roof: Pitched or flat canopy (PVC or aluminum sheeting, waterproof) • Load Capacity: Sufficient to hang LED screens, lighting, and audio equipment (~1000– 1500 kg total load) • Clearance Height Under Roof: Minimum 4.5–5.5 meter • Ground pins or water IBC Tanks for support	Various
5.	Screens	LED Screen System (Surround Visuals): • Positioning: 2 screens (for the public) • Pixel Pitch: 3.9mm (indoor/outdoor rated) • Resolution per screen: • Width: 1024 Pixels • Height: 512 Pixels • Approximate Physical Size: • At 3.9mm pitch, each screen is ~4m x 2m (13 ft x 6.5 ft) • Video Processor: Compatible scaler/switcher with multiple input format • Trussing and support to elevate and keep the screen intact • Ground pins or water IBC Tanks for support	2
6.	Power requirements:	• Stage Power Supply: Minimum 32A 3-phase distribution • Dedicated Lines: For audio, lighting, LED screens (isolated feeds to reduce interference) • 24KVA Power Generator • Power supply and signal cables for distribution for the spread of the screens based on the orientation on the ground. • Cable guards x 10	Various

NB:

- The MICT reserved the right to award the bid wholly or partially
- Payments will be processed only after 100% on delivery of all items
- Quotation via email or fax will not be accepted
- The equipment will be transported to Katima Mulilo, Zambezi Region at the bidder cost

Kindly prepare and submit your quotation with the following mandatory documents in a sealed envelope:

1. A certified copy of valid founding statements
2. Original/certified copy of a valid good standing TAX certificate
3. Original/certified copy of a valid good standing Social Security certificate
4. Original/certified copy of valid Affirmative Action Compliance certificate or exemption issued in terms of section 42 of the Affirmative Action Act, 1998
5. Have an original/certified copy of valid a certificate indicating SME Status (if applicable)

Closing date and time: Tuesday, 12 August 2025 at 11h00, Submission at 2nd Floor, 301 Trust Building, Independence Avenue.

Enquiries: Goderich Sikwana (Technical) | Gerharda Mulunga (Administration)

Email: PMU@mict.gov.na

Tell: 061 283 9111

